



# ERCP — Access That Unlocks Opportunity

Innovative Device Platform Designed to Meet the Challenges of ERCP



# ERCP — Access That Unlocks Opportunity

# Innovative Device Platform Designed to Meet the Challenges of ERCP

While endoscopic retrograde cholangiopancreatography (ERCP) is a valuable therapeutic intervention for many patients with pancreatobiliary disorders<sup>1</sup>, each phase of the procedure presents potential obstacles to success.

# Optimal ERCP Outcomes Require Successful Completion of Three Essential Phases:

### 1. Access

Limiting the amount of time, attempts and injections it takes to achieve deep cannulation of the desired duct is essential in avoiding adverse events.<sup>2,3</sup>

# 2. Exchange

Smooth device exchange while maintaining cannulation minimizes procedure time and patient risk.


### 3. Therapy

Effective and efficient pancreaticobiliary therapy is key to restoring drainage.

# ERCP — Access That Unlocks Opportunity

# Innovative Device Platform Designed to Meet the Challenges of ERCP

# Every Endoscopic Retrograde Cholangiopancreatography (ERCP) Procedure Presents Its Own Unique Challenges:





3.5-9.7%

is the incidence of ERCP-related pancreatitis<sup>4</sup>



14.7%

is the average of post-ERCP pancreatitis in high-risk patients<sup>5</sup>



0.3-9.6%

is the bleeding incidence related to ERCP<sup>4</sup>



0.5-3.0%

is the incidence of cholangitis as an ERCP-related adverse event<sup>4</sup>

Let the Olympus ERCP portfolio be your key to success in access, exchange and therapy with the aim of achieving exceptional clinical outcomes and minimized patient risk.

# Access

# Innovative Device Platform Designed to Meet the Challenges of ERCP


# **Consistent Orientation Helps to Achieve Cannulation Success**

# **CleverCut 3 V Sphincterotomes\***

Cannulation of the major papilla can be problematic. Prolonged papillary manipulation as a result of repeated attempts at cannulation is known to increase the risk of post-ERCP pancreatitis (PEP).<sup>6</sup> The Olympus Access portfolio, including VisiGlide and CleverCut 3 V, offers innovative technology designed for successful cannulation, regardless of the challenges.

### **CleverCut 3 V Orientation**

- The area between the 11 o'clock and 12 o'clock position is ideal for sphincterotomy<sup>7</sup> as there is less risk of bleeding.
- The pre-curved distal end of the CleverCut 3 V consistently extrudes to a stable 11 o'clock position, assisting with cannulation of the papilla and assuring optimized cutting.



CleverCut 3 V
positioned
between 11
o'clock and
12 o'clock
for enhanced
sphincterotomy

# 

### Papillary Vascularity Density<sup>8</sup>

The image above illustrates the density of arterial vascularity surrounding the papilla as shaded zones. The zone shaded in green represents the recommended cutting direction. Areas shaded in orange represent low-density arterial vascularity, suggesting reduced bleeding.

# Access

# Innovative Device Platform Designed to Meet the Challenges of ERCP


# Gain Access with Enhanced Ductal Navigation

### **VisiGlide Guidewires\*\***

If cannulation is attempted more than five times and the time to perform cannulation exceeds five minutes, then it is widely accepted to be a risk factor for adverse events. Below is a cannulation success comparison between a VisiGlide guidewire group and a standard guidewire group.

### **Guidewire Features**

- · The special design of the core wire gives the VisiGlide 1:1 torque control for easier cannulation of the hilar area and excellent stricture navigation.
- · The VisiGlide 2 has the ability to contract in order to navigate past side branches in the pancreatic duct.
- · With clinically proven cannulation success, VisiGlide<sup>9</sup> and VisiGlide 2<sup>10</sup> equally support a regular 0.035-inch guidewire with a 0.025-inch diameter, significantly expanding the range of applicable procedures and consequently your access success.



<sup>\*\*</sup> G-240 series and G-260 series


# Access


# Innovative Device Platform Designed to Meet the Challenges of ERCP

# **Gain Access with Enhanced Ductal Navigation**

# **Cannulation Success Comparison**

- · Primary cannulation success was significantly higher in the VisiGlide group when compared to a fully hydrophilic and standard guidewire group.<sup>9</sup>
- · With a flexible tip and uniquely constructed body, VisiGlide could replace a combination of flexible and standard guidewires and aims to increase the success rate while decreasing the procedure time.





# **Device Exchange Tailored to Your Technique**

# **External Guidewire Locking**

# The Olympus ERCP System



# **Device Exchange Tailored to Your Technique**

# The Olympus ERCP System



# **Device Exchange Tailored to Your Technique**

# The Olympus ERCP System



# **Device Exchange Tailored to Your Technique**

**Single-Use Distal Cover** 

# The Olympus ERCP System



# Therapy

# Unlock Opportunities with a Multitude of Olympus Devices Designed for ERCP Success

# **Stone Management**

The Olympus ERCP Stone Management portfolio offers a variety of modalities in order to support effective clearance of pancreaticobiliary stones.

# LithoCrush V **Mechanical Lithotripter** A dedicated mechanical lithotripter **VorticCatch V StoneMaster V** Two-in-one sphincterotome Unique spiral design for and papillary dilation balloon challenging stone retrieval simplifies large stone retrieval FlowerBasket V and **TetraCatch V Retrieval Baskets** Precision and versatility in

Order numbers can be found in the product catalog, or contact your local Olympus sales representative.

stone retrieval

# Multi-3 V Plus **Extraction Balloons**

Approaching the gold standard for biliary or pancreatic stone retrieval

# Therapy

**QuickPlace V Biliary** 

Effective and efficient

**Stenting System** 

biliary drainage

Unlock Opportunities with a Multitude of Olympus Devices Designed for ERCP Success

# **Stricture Management**

critical diagnosis

The Olympus ERCP Stricture Management portfolio is designed to enable stricture diagnosis and restore biliary flow.

# **Rotatable Grasping Forceps MaxPass Dilation Balloon** Strong alligator jaw design with rat tooth in order to Reliable biliary stricture dilation with rapid balloon deflation support safe and effective stent removal **BrushMaster V Cytology** Brush Visible precision for

# Olympus EndoTherapy

# **Dedicated Support beyond Products**

At Olympus, we strive to be more than just a medical-equipment provider to our customers. We provide end-to-end support, from the purchasing process to procedure and reprocessing services, to build a relationship of trust.



### **ERCP Showroom Page**

Enter the world of ERCP on our Olympus website for a full overview of our product portfolio, valuable video content, information on training and much more.





### **Training**

Register here to improve procedure skills and the safe and effective use of Olympus products.





### **Portfolio**

Browse through the rich portfolio of EndoTherapy devices here.





### **Service**

Contact your Olympus sales representative for individual support now.

### References

- <sup>1</sup> American Society for Gastrointestinal Endoscopy. The role of ERCP in benign diseases of the biliary tract. Gastrointest Endosc. 2015; 81(4): 795-803.
- <sup>2</sup> Baillie J. Difficult biliary access for ERCP. Curr Gastroenterol Rep. 2012; 14(6): 542-547.
- <sup>3</sup> Liao W-C, Angsuwatcharakon P, Isayama H, et al. International consensus recommendations for difficult biliary access. Gastrointest Endosc. 2017; 85(2): 296-304.
- <sup>4</sup> Dumonceau Jean-Marc et al. ERCP-related adverse events: European Society of Gastrointestinal Endoscopy (ESGE) Guideline. Endoscopy. 2020; 52: 127-149.
- <sup>5</sup> Kochar B, Akshintala VS, Afghani E, et al. Incidence, severity, and mortality of post-ERCP pancreatitis: a systematic review by using randomized, controlled trials. Gastrointest Endosc. 2015 Jan; 81(1): 143-9.
- <sup>6</sup> Swan MP, Alexander S, Moss A, et al. Needle Knife Sphincterotomy Does Not Increase the Risk of Pancreatitis in Patients with Difficult Biliary Cannulation. Clin Gastronenterol Hepatol. 2013 Apr; 11(4): 430-6.

- <sup>7</sup> Testoni Pier Alberto et al. Papillary cannulation and sphincterotomy techniques at ERCP: European Society of Gastrointestinal Endoscopy (ESGE) Clinical Guideline. Endoscopy. 2016.
- <sup>8</sup> Mirjalili SA and Stringer MD. The arterial supply of the major duodenal papilla and its relevance to endoscopic sphincterotomy. Endoscopy. 2011; 43: 307-311.
- <sup>9</sup> Albert JG, Lucas K, Filmann N, Herrmann E, et al. A novel, stiff-shaft, flexible-tip guidewire for cannulation of biliary stricture during endoscopic retrograde cholangiopancreatography: a randomized trial. Endoscopy. 2014; 46(10): 857-861.
- <sup>10</sup> Park JS, Jeong S, and Lee DH. Effectiveness of a novel highly flexible-tip guidewire on selective biliary cannulation compared to conventional guidewire: Randomized control study. Digestive Endoscopy. 2018; 30: 245-251.



# www.olympus.eu/ercp-procedure

As medical knowledge is constantly growing, technical modifications or changes of the product design, product specifications, accessories and service offerings may be required.



### **OLYMPUS EUROPA SE & CO. KG**

Postbox 10 49 08, 20034 Hamburg, Germany Wendenstrasse 20, 20097 Hamburg, Germany Phone: +49 40 23773-0, Fax: +49 40 233765

www.olympus-europa.com